

Recommended product

Good alternatives

Putoline Product recommendation

Bimota SB SB 8K Gobert, Santa Monica (2006-2009)

ENGINE/TRANSMISSION, TL1000R

3,3 liter Capacity

0,2 liter Filter capacity

N-TECH® Pro R+ 10W-40, 10W-40

Normal, Change every 3600 km/6 months First change only, Change every 1000 km

Ester Tech 4+ 10W-40, 10W-40

Normal, Change every 3600 km/6 months First change only, Change every 1000 km

Sport 4R 10W-40, 10W-40

Normal, Change every 3600 km/ 6 months First change only, Change every 1000 km

Super DX4 10W-40, 10W-40

Normal, Change every 3600 km/6 months First change only, Change every 1000 km

HYDRAULIC BRAKE SYSTEM

Recommended product <u>Ultimate Racing Brake Fluid</u>

Normal, Check every 3600 km/ 6 months

Good alternatives **DOT 4 Brake Fluid**

Normal, Check every 3600 km/ 6 months

HYDRAULIC CLUTCH SYSTEM

Recommended product Ultimate Racing Brake Fluid

Normal, Check every 3600 km/ 6 months

DOT 4 Brake Fluid Good alternatives

Normal, Check every 3600 km/ 6 months

COOLING SYSTEM

Recommended product Ultracool 12

Normal, Change every 15000 km/24 months

Good alternatives Coolant NF

Normal, Change every 15000 km/ 24 months

FRONT FORK

Recommended product Formula GP 5W, 10W HPX R 5W

Good alternatives

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.