



Putoline Product recommendation

KTM 400 400 XC-W (2007-2010)

Recommended product	ENGINE/TRANSMISSION <u>N-TECH® Pro R+ Off Road 10W-50, 10W-50</u> Normal, Change every 100 liter consumed fuel/ 15 hours Initial service, Change every 3 hours/ 20 liter consumed fuel
Good alternatives	<u>Ester Tech Off Road 4+ 10W-50, 10W-50</u> Normal, Change every 100 liter consumed fuel/ 15 hours Initial service, Change every 3 hours/ 20 liter consumed fuel
Recommended product	HYDRAULIC BRAKE SYSTEM <u>DOT 5.1 Brake Fluid.</u> Normal, Check every 1 race/ 100 liter consumed fuel/ 15 hours Initial service, Check every 3 hours/ 20 liter consumed fuel Normal, Change every 12 months
	HYDRAULIC CLUTCH SYSTEM We are unable to give a standard recommendation for this component. Please contact our service department.
Recommended product	HYDRAULIC CLUTCH SYSTEM, BREMBO <u>DOT 5.1 Brake Fluid.</u> Normal, Check every 1 race/ 100 liter consumed fuel/ 15 hours Initial service, Check every 3 hours/ 20 liter consumed fuel Normal, Change every 12 months
Recommended product	COOLING SYSTEM 1 liter Capacity <u>Ultracool 12.</u> Normal, Check every 1 race/ 100 liter consumed fuel/ 15 hours Initial service, Check every 3 hours/ 20 liter consumed fuel
Good alternatives	<u>Coolant NF.</u> Normal, Check every 1 race/ 100 liter consumed fuel/ 15 hours Initial service, Check every 3 hours/ 20 liter consumed fuel
Recommended product	FRONT FORK <u>Formula GP 5W</u> Normal, Change every 12 months
Good alternatives	<u>HPX R 5W</u> Normal, Change every 12 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.