

Good alternatives

Putoline Product recommendation

KTM 450 450 XC-F (USA) (2013-2013)

ENGINE/TRANSMISSION

1,5 liter Capacity

Recommended product N-TECH® Pro R+ Off Road 10W-50, 10W-50

Normal, Change every 10 hours/70 liter consumed fuel/each race

Initial service, Change every 1 hours/7 liter consumed fuel

Ester Tech Off Road 4+ 10W-50, 10W-50

Normal, Change every 10 hours/70 liter consumed fuel/each race

Initial service, Change every 1 hours/7 liter consumed fuel

HYDRAULIC BRAKE SYSTEM

0-0 liter Capacity Recommended product

Ultimate Racing Brake Fluid

Normal, Change every 12 months

DOT 4 Brake Fluid Good alternatives

Normal, Change every 12 months

DOT 5.1 Brake Fluid

Normal, Change every 12 months

HYDRAULIC CLUTCH SYSTEM

0-0 liter Capacity Recommended product

Ultimate Racing Brake Fluid

Normal, Change every 12 months

DOT 4 Brake Fluid

Normal, Change every 12 months

DOT 5.1 Brake Fluid

Normal, Change every 12 months

COOLING SYSTEM

1,2 liter Capacity

Recommended product

Good alternatives

Good alternatives

Ultracool 12 Coolant NF

FRONT FORK, WP 4860 MXMA CC

195 CM3 Capacity

380 CM3 Capacity

Recommended product HPX R 4W

Normal, Change every 30 hours/ 210 liter consumed fuel

SHOCK ABSORBER REAR, WP 5018 BAVP DCC

Recommended product HPX R 2.5W, 2.5W

Normal, Change every 40 hours/ 280 liter consumed fuel Initial service, Change every 20 hours/ 140 liter consumed fuel

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.