



Putoline Product recommendation

ATK GT GT 650 R (2011-2017)

ENGINE/TRANSMISSION

3,4 liter Capacity

3,2 liter Capacity

0,2 liter Filter capacity

Recommended product N-TECH® Pro R+ 10W-50, 10W-50, 10W-40, 10W-40, 15W-50, 15W-50, 10W-30, 10W-30

Normal, Change every 6000 km

Initial service, Change every 1000 km

Good alternatives Ester Tech 4+ 10W-40, 10W-40, 10W-50, 10W-50, 15W-50, 15W-50

Normal, Change every 6000 km

Initial service, Change every 1000 km

Sport 4R 10W-40, 10W-40, 15W-50, 15W-50, 10W-30, 10W-30, 20W-50, 20W-50

Normal, Change every 6000 km

Initial service, Change every 1000 km

Formula V-Twin 20W-50, 20W-50

Normal, Change every 6000 km

Initial service, Change every 1000 km

Super DX4 10W-40, 10W-40, 20W-50, 20W-50

Normal, Change every 6000 km

Initial service, Change every 1000 km

HYDRAULIC BRAKE SYSTEM

0-0 liter Capacity

Recommended product Ultimate Racing Brake Fluid

Normal, Change every 24 months

Good alternatives DOT 4 Brake Fluid

Normal, Change every 24 months

COOLING SYSTEM

1,6 liter Capacity

Recommended product Ultracool 12

Normal, Change every 24 months

Good alternatives Coolant NF

Normal, Change every 24 months

FRONT FORK

380 CM3 Capacity

Recommended product HPX R 7.5W

Normal, Check every 4000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.